


# Rectangular Duct and Fittings

SINGLE-WALL DUCTWORK  
and SINGLE-WALL DUCTWORK  
with ACOUSTI-LINE™ LINER

a McGill AirFlow™ product




# Single-Wall, Rectangular Duct and Fittings



McGill AirFlow Corporation's single-wall, rectangular duct and fittings are factory fabricated to furnish you with a high-quality line of products in a broad range of standard sizes. To minimize field-assembly costs, rectangular duct is supplied in lengths up to 6 feet. Longitudinal seams are typically made with Pittsburgh locks or button-punch snap locks. In addition to economical TDC™ transverse duct connectors, S & drive slip joints, four-bolt connectors, and applied duct connectors are available. Rectangular ductwork can be shipped completely assembled or knocked down. McGill AirFlow's standard rectangular products are fabricated to meet SMACNA's 1995 duct construction standards. Plus, we can custom fabricate rectangular ductwork for commercial and industrial applications according to your specifications.

United McGill® is a registered trademark and McGill AirFlow™, ACOUSTI-LINE™, and UNI-SEAL™ are trademarks of United McGill Corporation.

TDC™ is a trademark of Lockformer Company.



## Single-Wall, Rectangular Duct and Fittings — Available Materials and Thicknesses


Construction	Materials	Thicknesses
<b>UNI-SEAL™</b> (Pittsburgh Lockseam) 	Galvanized Steel	28-18 gauge <sup>1</sup>
	Stainless Steel	26-22 gauge <sup>2</sup>
	Aluminum	0.032-0.050 inch
<b>UNI-SEAL</b> (Button-Punch Snap Lock) 	Galvanized Steel	28-20 gauge
	Stainless Steel	26-22 gauge

<sup>1</sup> Galvanized steel fittings with Pittsburgh lockseam construction are also available in 16 gauge.

<sup>2</sup> Stainless steel fittings with Pittsburgh lockseam construction are also available in 20 gauge.

# Single-Wall, Rectangular Ductwork with ACOUSTI-LINE Insulating Liner

Single-wall, rectangular ductwork is available with an ACOUSTI-LINE insulating liner coated to protect against erosion and microbial growth. This acoustical/thermal liner can be used with air velocities up to 5,000 fpm and temperatures up to 250°F. It is available in thicknesses of 1, 1½, and 2 inches and has a maximum thermal conductivity (k) factor of 0.27 Btu/hour/square foot/°F/inch thickness. Formulated with an anti-microbial agent that is EPA registered, the liner's acrylic coating resists the growth of fungus and bacteria (tested in accordance with ASTM C 1071 and ASTM G21 and G22). The liner's surface can be cleaned according to procedures detailed in the North American Insulation Manufacturers Association (NAIMA) Duct Cleaning Guide.



## Single-Wall, Rectangular Duct and Fittings — Assembly Options

Construction	Size Limitations*
Fully Assembled	None
L-Shaped	20 inches ≤ W + H ≤ 120 inches
Wrap Around	W + H < 20 inches

W = Width (inches); H = Depth (inches)

T = TDC connector; F = Four-bolt or angle-flange applied connector

\*Contact your local sales representative for other available sizes.

## ASTM Material Specifications


Standard Material	Type	ASTM Number
Galvanized Steel	—	A653, A924
Stainless Steel	304, 316	A167, A480
Nongalvanized Carbon Steel	18-28 gauge	A366, A568, A569
Aluminum	3003-H14	B209
Aluminized	1	A463

Other types of material are available.

## Single-Wall, Rectangular Duct and Fittings — Available Connectors


End Connectors	5-Foot Duct Length	6-Foot Duct Length
Raw End	60 inches	72 inches
S and Drive Slips	59 inches	71 inches
TDC	56 1/4 inches	68 1/4 inches
Applied Connectors	60 1/4 inches	72 1/4 inches

### End Connector Details




#### T-1 Drive Slip

Galvanized steel: 20 gauge maximum  
 Stainless steel: 24 gauge maximum  
 Aluminum: 0.050 inch maximum




#### T-6 Hemmed S Slip

Galvanized steel: 20 gauge maximum  
 Stainless steel: 24 gauge maximum  
 Aluminum: 0.050 inch maximum




#### T-11 Standing S Slip


Galvanized steel: 20 gauge maximum  
 Stainless steel: 22 gauge maximum  
 Aluminum: 0.050 inch maximum



#### Applied Duct Connector/Cleat



#### Four-Bolt Corner Connector



#### Lockformer TDC Duct Connector/Cleat

## Automated Production with the Latest Manufacturing Technology

McGill AirFlow fabricates rectangular duct on automated coil lines to produce large orders quickly and economically. That benefits you by providing products with dependable quality at a low cost. With our large-scale manufacturing capabilities, we can help you on major projects and make sure that small orders are delivered quickly. Our ability to produce round, flat oval, and rectangular products enables us to supply all the sheet metal ductwork that you need for your projects.

### Additional Information

Construction details, dimension drawings, and standard gauges for McGill AirFlow products are available. Please contact the McGill AirFlow sales representative, sales office, Duct Express™ warehouse, or regional manufacturing plant nearest you. Reference publication: *Single-Wall and Single-Wall Lined, Rectangular Duct and Fittings Dimensions*.



Automated coil lines enable us to produce rectangular duct economically.



Our regional manufacturing plants can supply large orders of rectangular duct and fittings quickly.

Duct Express™ is a trademark of United McGill Corporation.

The products depicted in this brochure were current at the time of publication. As a quality-conscious manufacturer, McGill AirFlow continually seeks ways to improve its products to better serve its customers. Therefore, all designs, specifications, and product features are subject to change without notice.

## Sales Engineering Offices, Manufacturing Plants, and Duct Express Warehouses

### Alabama

□ 241 Lyon Lane  
**Birmingham, AL** 35211  
205/944-0034  
Fax: 205/944-0091  
birmingham@mcgillairflow.com

### Arizona

□ 1236 West Southern Avenue  
No. 105  
**Tempe, AZ** 85282  
480/966-2638  
Fax: 480/966-4850  
phoenix@mcgillairflow.com

### California

□ 1747 East Charter Way  
**Stockton, CA** 95205  
209/466-2351  
Fax: 209/941-2739  
californiaplant@mcgillairflow.com

3914 Murphy Canyon Road  
No. A167

**San Diego, CA** 92123  
858/571-0989  
Fax: 858/571-3659

sandiego@mcgillairflow.com

### Colorado

□ 4920B Fox Street  
**Denver, CO** 80216  
303/297-8307  
Fax: 303/297-8309  
denver@mcgillairflow.com

### Connecticut

□ 15E International Drive  
**East Granby, CT** 06026  
860/653-8001  
Fax: 860/653-6995  
hartford@mcgillairflow.com

### Florida

□ 4408 SW 36th Street  
**Orlando, FL** 32811  
407/841-7953  
Fax: 407/423-8975  
orlandoplant@mcgillairflow.com

□ 3406 SW 26 Terrace  
No. C-10  
**Ft. Lauderdale, FL** 33312  
954/321-5898  
Fax: 954/321-5788  
ft.lauderdale@mcgillairflow.com

Colonial Plaza Office Complex  
6251 Phillips Highway  
No. 3

**Jacksonville, FL** 32216  
904/733-3868  
Fax: 904/733-3978

jacksonville@mcgillairflow.com

□ 6203 Johns Road  
No. 12  
**Tampa, FL** 33634  
813/888-8803  
Fax: 813/888-8831  
tampabay@mcgillairflow.com

### Georgia

□ 1750 Enterprise Way  
No. 108  
**Marietta, GA** 30067  
770/541-1843  
Fax: 770/541-0737  
atlanta@mcgillairflow.com

### Illinois

125 Windsor Drive  
No. 103  
**Oak Brook, IL** 60523  
630/572-1293  
Fax: 630/572-1310  
chicago@mcgillairflow.com

2001 West Willow Knolls Road  
No. 201

**Peoria, IL** 61614  
309/692-2085  
Fax: 309/691-1508  
peoria@mcgillairflow.com

### Indiana

□ 3880 Pendleton Way  
No. 700  
**Indianapolis, IN** 46226  
317/541-1530  
Fax: 317/541-1536  
indianapolis@mcgillairflow.com

### Iowa

□ 900 Pinder Avenue  
**Grinnell, IA** 50112  
641/236-6728  
Fax: 641/236-7352  
iowaplant@mcgillairflow.com

### Kentucky

□ 3300 Ruckriegel Parkway  
No. 108  
**Louisville, KY** 40299  
502/266-8939  
Fax: 502/266-9957  
louisville@mcgillairflow.com

### Maryland

□ 9210 Hampton Overlook  
No. B-6  
**Capitol Heights, MD** 20743  
301/324-2322  
Fax: 301/324-0048  
baltimore-washington@mcgillairflow.com

### Massachusetts

□ 2J Gill Street  
**Woburn, MA** 01801  
781/939-0797  
Fax: 781/939-0931  
boston@mcgillairflow.com

### Michigan

□ 32713 Schoolcraft Road  
No. 107  
**Livonia, MI** 48150  
734/266-4169  
Fax: 734/266-4182  
detroit@mcgillairflow.com

### New Jersey

40 Baldwin Road  
No. 4  
**Parsippany, NJ** 07054  
973/334-9440  
Fax: 973/334-9518  
newyork@mcgillairflow.com

### New York

□ 2100 Brighton Henrietta  
Town Line Road  
**Rochester, NY** 14623  
716/475-1470  
Fax: 716/475-1477  
rochester@mcgillairflow.com

### North Carolina

□ 2748-G Interstate Street  
**Charlotte, NC** 28208  
704/393-1056  
Fax: 704/393-0873  
charlotte@mcgillairflow.com

□ 2201 Brentwood Road  
No. 105  
**Raleigh, NC** 27604  
919/790-9888  
Fax: 919/790-7161  
raleigh@mcgillairflow.com

### Ohio

□ 2400 Fairwood Avenue  
**Columbus, OH** 43207  
614/443-5520  
Fax: 614/444-0234  
ohioplant@mcgillairflow.com

□ 485 Ken-Mar Industrial Pkwy.  
**Broadview Heights, OH** 44147  
440/546-4454  
Fax: 440/546-4933  
cleveland@mcgillairflow.com

□ 2954 East Crescentville Road  
**West Chester, OH** 45069  
513/771-5111  
Fax: 513/771-8887  
cincinnati@mcgillairflow.com

### Pennsylvania

□ 307 East Church Road  
No. 7  
**King of Prussia, PA** 19406  
610/292-8087  
Fax: 610/292-8204  
philadelphia@mcgillairflow.com

2593 Wexford-Bayne Road  
No. 101  
**Sewickley, PA** 15143  
724/934-0466  
Fax: 724/934-0170  
pittsburgh@mcgillairflow.com

### South Carolina

□ 300 Dale Drive  
**Fountain Inn, SC** 29644  
864/862-4463  
Fax: 864/862-5408  
s.carolinaplant@mcgillairflow.com

### Tennessee

□ 4169 Senator Street  
**Memphis, TN** 38118  
901/797-9014  
Fax: 901/797-8934  
memphis@mcgillairflow.com

□ 614 Airpark Center Drive  
**Nashville, TN** 37217  
615/366-3191  
Fax: 615/366-3715  
nashville@mcgillairflow.com

### Texas

□ 206 Pecos Street  
**Hillsboro, TX** 76645  
254/582-5392  
Fax: 254/582-2426  
texasplant@mcgillairflow.com

□ 2550 114th Street  
No. 160  
**Grand Prairie, TX** 75050  
972/606-8553  
Fax: 972/606-8711  
dallas-ft.worth@mcgillairflow.com

□ 2523 Fairway Park Drive  
No. 520  
**Houston, TX** 77092  
713/680-3771  
Fax: 713/680-8037  
houston@mcgillairflow.com

□ 12961 Park Central  
No. 1420  
**San Antonio, TX** 78216  
210/402-0122  
Fax: 210/402-0543  
sanantonio@mcgillairflow.com

### Vermont

□ 452 Harwood Hill Road  
**Bennington, VT** 05201  
802/442-8536  
Fax: 802/442-9437  
vermontplant@mcgillairflow.com

### Virginia

□ 9415 Atlee Commerce  
Center Boulevard  
Suite I  
**Ashland, VA** 23005  
804/550-7780  
Fax: 804/550-7787  
richmond@mcgillairflow.com

### Washington

258 SW 43rd Street  
Building 3, Suite M-A  
**Renton, WA** 98055  
425/251-9880  
Fax: 425/251-9891  
seattle@mcgillairflow.com

### Wisconsin

□ N56 W13555 Silver Spring Drive  
**Menomonee Falls, WI** 53051  
262/252-3249  
Fax: 262/252-3254  
milwaukee@mcgillairflow.com

### AirFlow/Acoustical Laboratory

190 East Broadway  
**Westerville, OH** 43081  
614/882-5455  
Fax: 614/882-2090  
mafengineering@mcgillairflow.com

### Corporate Headquarters

One Mission Park  
**Groveport, OH** 43125  
614/836-9981  
Fax: 614/836-9843  
marketing@mcgillairflow.com

### Note:

McGill AirFlow Corporation  
also has sales representatives  
in other major cities.

### KEY

- Manufacturing Plant Location
- Also a Duct Express Warehouse Location

**McGill AirFlow**  
Corporation

An enterprise of United McGill Corporation — Founded in 1951

Web site: [www.mcgillairflow.com](http://www.mcgillairflow.com)